

**EAST Search History****EAST Search History (Prior Art)**

| Ref # | Hits | Search Query   | DBs                       | Default Operator | Plurals | Time Stamp       |
|-------|------|--|---------------------------|------------------|---------|------------------|
| L2    | 0    | "20070136210".pn. and ( readable storage medium)   | US-PGPUB                  | OR               | ON      | 2011/10/23 19:37 |
| L3    | 0    | "20070136210".pn. and (readable storage medium signal wave )   | US-PGPUB                  | OR               | ON      | 2011/10/23 19:38 |
| L4    | 1    | "20070136210".pn.  | US-PGPUB                  | OR               | ON      | 2011/10/23 19:38 |
| L7    | 955  | (CLERC near FABRICE).in. (france near telecom).as.   | USPAT                     | OR               | ON      | 2011/10/23 19:48 |
| L8    | 0    | L7 and (session and fraud and database).CLM.   | US-PGPUB                  | OR               | ON      | 2011/10/23 19:48 |
| L9    | 0    | L7 and (session and fraud and database).CLM.   | USPAT                     | OR               | ON      | 2011/10/23 19:49 |
| L10   | 5    | L7 and (session and database).CLM.   | USPAT                     | OR               | ON      | 2011/10/23 19:49 |
| L11   | 0    | L7 and (session and database).CLM. and hyperplane  | USPAT                     | OR               | ON      | 2011/10/23 19:49 |
| L12   | 23   | client adj puzzle and @AD< "20041022"  | US-PGPUB; USPAT; EPO      | OR               | ON      | 2011/10/23 19:50 |
| L13   | 0    | L12 and (hyperplane linear adj equation)   | US-PGPUB; USPAT; EPO      | OR               | ON      | 2011/10/23 19:50 |
| L14   | 3    | L12 and (hyperplane linear adj equation equation)  | US-PGPUB; USPAT; EPO      | OR               | ON      | 2011/10/23 19:50 |
| L15   | 48   | ( session behavior action activity conduct interaction transaction) same (user consumer customer client) same (model\$5) same (equation hyperplane) same database and (@ad< "20031106" @pd< "20031106" @rlad< "20031106" @prad< "20031106" ) | US-PGPUB; USPAT; EPO; JPO | OR               | ON      | 2011/10/23 19:50 |
| L16   | 1    | ( session ) same (user consumer customer client) same (model\$5) same (equation hyperplane) same database and (@ad< "20031106" @pd< "20031106" @rlad< "20031106" @prad< "20031106" )   | US-PGPUB; USPAT; EPO; JPO | OR               | ON      | 2011/10/23 19:52 |

|     |     |  |                           |    |     |                  |
|-----|-----|--|---------------------------|----|-----|------------------|
| L17 | 10  | ( session ) same (user consumer customer client) same (equation hyperplane) same database and (@ad< "20031106" @pd< "20031106" @rlad< "20031106" @prad< "20031106" )             | US-PGPUB; USPAT; EPO; JPO | OR | ON  | 2011/10/23 19:52 |
| L18 | 14  | ( session ) same (user consumer customer client) same ( polynomial equation hyperplane) same database and (@ad< "20031106" @pd< "20031106" @rlad< "20031106" @prad< "20031106" ) | US-PGPUB; USPAT; EPO; JPO | OR | ON  | 2011/10/23 19:53 |
| L19 | 4   | L18 not L17  | US-PGPUB; USPAT; EPO; JPO | OR | ON  | 2011/10/23 19:53 |
| L20 | 24  | ( session ) same (equation hyperplane) same database and (@ad< "20031106" @pd< "20031106" @rlad< "20031106" @prad< "20031106" )  | US-PGPUB; USPAT; EPO; JPO | OR | ON  | 2011/10/23 19:54 |
| L21 | 491 | (solv\$4 adj (independent linear polynomial) adj (equation function))  | US-PGPUB; USPAT           | OR | OFF | 2011/10/23 19:54 |
| L22 | 253 | (solv\$4 adj (independent linear polynomial) adj (equation function)) and @ad< "20041022"  | US-PGPUB; USPAT; EPO      | OR | OFF | 2011/10/23 19:54 |
| L23 | 46  | (solv\$4 adj (independent linear polynomial) adj (equation function)) and database and @ad< "20041022"   | US-PGPUB; USPAT; EPO      | OR | OFF | 2011/10/23 19:54 |
| L24 | 0   | (solv\$4 adj (independent linear polynomial) adj (equation function)) with database and @ad< "20041022"  | US-PGPUB; USPAT; EPO      | OR | OFF | 2011/10/23 19:54 |
| L25 | 0   | (solv\$4 adj (independent linear polynomial) adj (equation function)) same database and @ad< "20041022"  | US-PGPUB; USPAT; EPO      | OR | OFF | 2011/10/23 19:55 |
| L26 | 0   | ("2007/0136210").URPN.   | USPAT                     | OR | OFF | 2011/10/23 19:55 |
| L28 | 0   | ("2007/0136210").URPN.   | USPAT                     | OR | OFF | 2011/10/23 19:55 |

|     |      |  |                           |    |     |                  |
|-----|------|--|---------------------------|----|-----|------------------|
| L29 | 1    | "20070136210".pn.  | US-PGPUB                  | OR | ON  | 2011/10/23 19:56 |
| L30 | 0    | ("2007/0136210").URPN.   | USPAT                     | OR | OFF | 2011/10/23 19:56 |
| L31 | 0    | random adj number same (solv\$4 adj (independent linear polynomial) adj (equation function)) and @ad< "20041022"                               | US-PGPUB; USPAT; EPO      | OR | OFF | 2011/10/23 19:56 |
| L32 | 0    | random adj number same (solv\$4 adj (independent linear polynomial) adj (equation function)) and @ad< "20041022"                               | US-PGPUB; USPAT; EPO      | OR | ON  | 2011/10/23 19:56 |
| L33 | 34   | random adj number and (solv \$4 adj (independent linear polynomial) adj (equation function)) and @ad< "20041022"                               | US-PGPUB; USPAT; EPO      | OR | ON  | 2011/10/23 19:56 |
| L34 | 22   | (user consumer customer client) with (license adj (threshold count)) and database and @ad< "20041022"  | US-PGPUB; USPAT; EPO; JPO | OR | ON  | 2011/10/23 19:57 |
| L35 | 3881 | (session transaction client adj access ) with ((threshold count)) and database and @ad< "20041022"   | US-PGPUB; USPAT; EPO; JPO | OR | ON  | 2011/10/23 19:57 |
| L36 | 1281 | (session transaction client adj access ) near2((threshold count)) and database and @ad< "20041022"   | US-PGPUB; USPAT; EPO; JPO | OR | ON  | 2011/10/23 19:57 |
| L37 | 218  | (session transaction client adj access ) near2((threshold count)) same database and @ad< "20041022"  | US-PGPUB; USPAT; EPO; JPO | OR | ON  | 2011/10/23 19:57 |
| L38 | 1    | ((dtermin\$4 find\$44 clculat \$4) near2 (session transaction client adj access ) near2 ((threshold count)) same database) and @ad< "20041022" | US-PGPUB; USPAT; EPO; JPO | OR | ON  | 2011/10/23 19:58 |
| L39 | 0    | ((dtermin\$4 find\$44 clculat \$4) adj (session transaction client adj access ) adj ((threshold count)) and database) and @ad< "20041022"      | US-PGPUB; USPAT; EPO; JPO | OR | ON  | 2011/10/23 19:58 |

|     |     |  |                           |    |    |                  |
|-----|-----|--|---------------------------|----|----|------------------|
| L40 | 0   | ((determin\$4 find\$44 clculat\$4) adj (session transaction client adj access ) adj ((threshold count)) and @ad< "20041022"  | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2011/10/23 19:58 |
| L41 | 0   | ((determin\$4 find\$44 clculat\$4) adj (session transaction client adj (access eexecut\$4 adj command)) adj((threshold count)) and @ad< "20041022"                   | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2011/10/23 19:58 |
| L42 | 6   | ((determin\$4 find\$44 clculat\$4) adj (session transaction client adj (access eexecut\$4 adj command)) adj((threshold count number))) and @ad< "20041022"           | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2011/10/23 19:59 |
| L43 | 6   | ((determin\$4 find\$44 clculat\$4) adj (session transaction download client adj (access eexecut\$4 adj command)) adj ((threshold count number))) and @ad< "20041022" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2011/10/23 19:59 |
| L44 | 1   | ((determin\$4 find\$44 clculat\$4) near2 (session transaction client adj access ) near2 ((threshold count) same database) and @ad< "20031106"                        | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2011/10/23 19:59 |
| L45 | 0   | ((determin\$4 find\$44 clculat\$4) adj (session transaction client adj (access eexecut\$4 adj command)) adj((threshold count)) and @ad< "20031106"                   | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2011/10/23 19:59 |
| L46 | 5   | ((determin\$4 find\$44 clculat\$4) adj (session transaction client adj (access eexecut\$4 adj command)) adj((threshold count number))) and @ad< "20031106"           | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2011/10/23 19:59 |
| L47 | 7   | ((determin\$4 find\$44 clculat\$4) adj (session transaction access command) adj ((threshold count number)) and @ad< "20031106"                                       | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2011/10/23 20:00 |
| L48 | 362 | ((determin\$4 find\$44 clculat\$4) near2 (session transaction access command) with ((threshold count number)) and @ad< "20031106"                                    | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2011/10/23 20:00 |

|     |    |  |                           |    |    |                  |
|-----|----|--|---------------------------|----|----|------------------|
| L49 | 48 | ((determin\$4 find\$44 calculate\$4) near2 (session transaction access command) with (threshold count)) and @ad< "20031106"  | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2011/10/23 20:01 |
| L50 | 0  | ( behavior action activity conduct interaction transaction) same (user consumer customer client) same (model\$5) same (linear adj equation hyperplane) same database and (@ad< "20031106" @pd< "20031106" @rlad< "20031106" @prad< "20031106") | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2011/10/23 20:02 |
| L51 | 1  | ( behavior action activity conduct interaction transaction) same (user consumer customer client) same (linear adj equation hyperplane) same database and (@ad< "20031106" @pd< "20031106" @rlad< "20031106" @prad< "20031106")                 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2011/10/23 20:02 |
| L52 | 84 | ((session transaction) and equation and database).CLM.   | US-PGPUB; USPAT; EPO      | OR | ON | 2011/10/23 20:03 |
| L53 | 44 | ((session transaction) and equation and database).CLM. and @ad< "20031106"   | US-PGPUB; USPAT; EPO      | OR | ON | 2011/10/23 20:03 |
| L54 | 0  | (solv\$4 near3 equation) near2 (deduce create generate infer) near2 (key) same database and @ad< "20031106"  | US-PGPUB; DERWENT         | OR | ON | 2011/10/23 20:04 |
| L55 | 0  | (solv\$4 near3 equation) near2 (deduce create generate infer) near2 (key) same database and @ad< "20031106"  | US-PGPUB; USPAT; EPO      | OR | ON | 2011/10/23 20:04 |
| L56 | 0  | (solv\$4 near3 equation) with (deduce create generate infer) with (key) same database and @ad< "20031106"  | US-PGPUB; USPAT; EPO      | OR | ON | 2011/10/23 20:04 |
| L57 | 0  | (solv\$4 near3 equation) same (deduce create generate infer) same (key) same database and @ad< "20031106"  | US-PGPUB; USPAT; EPO      | OR | ON | 2011/10/23 20:04 |

|     |     |  |                         |    |    |                     |
|-----|-----|--|-------------------------|----|----|---------------------|
| L58 | 5   | (solv\$4 near3 equation) same<br>(deduce create generate<br>infer) near2 (key) and<br>@ad< "20031106"                            | US-PGPUB;<br>USPAT; EPO | OR | ON | 2011/10/23<br>20:05 |
| L59 | 261 | (solv\$4 near3 equation) and<br>(deduce create generate<br>infer) near2 (key) and<br>database and<br>@ad< "20031106"             | US-PGPUB;<br>USPAT; EPO | OR | ON | 2011/10/23<br>20:05 |
| L60 | 245 | (solv\$4 near3 equation) and<br>(deduce create generate<br>infer) near2 (key) and<br>database and session and<br>@ad< "20031106" | US-PGPUB;<br>USPAT; EPO | OR | ON | 2011/10/23<br>20:05 |
| L61 | 236 | (solv\$4 near3 equation) and<br>(deduce create generate<br>infer) adj (key) and database<br>and session and<br>@ad< "20031106"   | US-PGPUB;<br>USPAT; EPO | OR | ON | 2011/10/23<br>20:05 |
| L62 | 1   | "20070136210".pn. and<br>( readable medium program)  | US-PGPUB                | OR | ON | 2011/10/23<br>20:06 |

10/23/2011 8:07:15 PM

C:\Documents and Settings\szia\My Documents\EAST\Workspaces\10578755.wsp